ISSN (Online): 2347 - 4718

NUMBER PLATE RECOGNITION: A BRIEF OVERVIEW

Abdal Aziz Hamid Osman Idris¹, Isha Khirwar²

¹M.Tech Scholar, ²Assistant Professor

Department of Electronics &Instrumentation Engineering,

NIMS Institute of Engineering and Technology, Jaipur.

Abstract: Recent year, due to people's life and citizen's income is increasing continuously, cause general individuals possess the vehicle rate is increasingly high, notwithstanding the administration spread energetically decrepit movement, the car is a marker of way of life as well as is an instruments of take transportation and neglected for individuals. So vehicles administration of parking areas, electronic toll accumulation administration of parkway, finding vehicles stolen and screen of street et cetera, all turn out to be new security interest for individuals with vehicles administration and vehicles stolen stay away from And in this paper will concentrate on the different issues required all the while.

Index Terms: Software Engineering, Software Development, COCOMO model, COCOMO II Model.

I. INTRODUCTION

In the traffic aspect, to anticipate of traffic accident [1] and search for of vehicles stolen, because of number of police person is not enough, if only utilize person to recognize the license plate number, we will couldn't achieve the objective quickly, along these lines to set up a programmed license plate acknowledgment system, we can tracking the experience vehicles as well as spare the greater part of labor to enhance recognized productivity. The utilization of programmed license plate acknowledgment system, precisely can achieve enhanced effectively that discover the stolen vehicles, likewise control significance street and tracking the questionable vehicles to diminish the infringement of traffic rules. Today's world increases steadily with number of the dangers. The assortment of them is likewise immense. It ranges from the pilferages to demonstrations of fear mongering. As a response numerous countermeasures are taken. In the majority of metro urban communities observation systems are introduced. They fundamentally diminish the number of demonstrations of vandalism, thefts, auto taking and so on. Then again numerous cameras in the city stay unused, because of the way that the procured picture must be controlled by the administrator. The police don't have enough staff to watch everything simultaneously. There is also another disadvantage of such systems. Storing the video stream from all cameras requires incredibly high capacities [2]. The solution of this problem might be replacing the human operator by an intelligent system that continuously analyzes the acquired image and detects some possibly dangerous situations. For this problem we are trying to design a robust system to monitor vehicles automatically. As far as the vehicle stealing problem is concerned, the surveillance system without mentioned disadvantages can be

developed. On the ground of above description, we claims that the system that only films the passing by vehicles can have very limited efficiency. It requires much time of many staff members to localize particular vehicle. Moreover it is almost impossible to monitor many suspected vehicles or detect them when present by the camera in real time.

II. SOLUTIONS APPROACHES USED

After reviewing 28 research papers on Software Effort Estimation to explore and find out current challenges and scope for work, the following issues are find out.

Issue 1: Issues related to Text Recognition
Issue 2: Issues related to Number Plate Extraction
Issue 3: Issues related to Image Segmentation

The discussion of various solution approaches under specific issues has been presented below.

1. Solution Approaches to the issue "Text Recognition". In an approach there proposed an off-line recognition system [1] for either machine printed or handwritten historical documents. The system comprises of a pre-processing stage where documents are changed over into binary images, a top-down division technique that concentrates the characters, the making of a database by the removed characters and an acknowledgment stage where the database is used for changing over any record into content document. The principle favorable position of this methodology is the way that neither any learning of the textual styles ahead of time nor the presence of a standard database is required. So it can be connected to various sorts of documents and even manage characters or ligatures that don't show up frequently. Another approach proposed OCR calculation consolidates the word division, character division and acknowledgment ventures in a rational template prepare step. The proposed AOCR calculation [2] takes after the accompanying three primary strides, Image Acquisition, Image pre-processing, Image acknowledgment. In the step Image acquisition, the proposed AOCR starts with image acquisition process that scans the Arabic text using a 300 dpi scanner, the scanned image is saved in a .bmp image file. In the next step i.e., Image pre-processing ,the image is filtered using a median filter that removes noise, the image is converted from RGB to gray scale image, and then it is converted to binary image. And in the final step, i.e., image recognition, the binary image is segmented into lines of text. Another approach [4] presents a brief overview of digital image processing techniques such as Feature Extraction, Image Restoration and Image Enhancement. Handwritten character recognition is always a frontier area of research in the field of pattern

recognition. There is a slarge demand for OCR on transcribed documents in Image processing. Despite the fact that, adequate reviews have performed in outside scripts like Arabic, Chinese and Japanese, only a not very many work can be followed for manually written character acknowledgment chiefly for the south Indian scripts. OCR system improvement for Indian script has numerous application zones like preserving original copies and old literary works written in various Indian scripts and making advanced libraries for the documents. Highlight extraction and grouping are basic strides of character acknowledgment prepare influencing the general precision of the acknowledgment system.

2. Solution Approaches to the issue "Number Plate Extraction".

In an approach there proposed a methods for vehicle license plate distinguishing proof is actualized and broke down, on the premise of a novel versatile picture division technique conjunction with character recognition[9]. A novel strategy for license plate restriction in light of surface and edge data is proposed. The entire procedure is isolated into two sections: applicant extraction and hopeful check. In the initial segment, the license plate being extricated from complex condition, a few hopeful ranges rather than one with the maximum surface data are separated. In the second part, autocorrelation based binary picture and projection calculation are used to confirm the plate hopefuls. Versatile middle channel is connected to expel the clamor from the picture. Picture processing technique, for example, edge discovery, thresholding, resampling and separating have been used to find and disengage the license plate and the characters.

In another approach a two-stage approach for confinement [10] is presented. In the initial step, the elements of characters are used to locate the likely characters areas. In the second step, the components of number plates are used to locate the likely number plate areas. This approach empowers the limitation of number plates in broadly fluctuating enlightenment conditions with pertinence to the commonly discovered sorts of Indian number plates with a win rate of 87%. In request to recognize the license number, the number plate region must be initially situated in the picture. The objective of restriction is to kill all the foundation and preserve only the number plate zone from the information picture. From this number plate zone, the individual characters are then portioned out and recognized. In the event that situations where the number plate script is non-English or the number plate is seriously mutilated are barred then, 87% of the plates were restricted accurately. Another approach has proposed an adaptable strategy for perceiving four-digit numbers on a license-plate [11] in a video scene. The technique comprised of three sections; worldwide look for finding a license plate in a scene, corner location for evacuating shape twisting, and numeral acknowledgment. The spatial elements and the phantom (shading) ones were blended and prepared at once in the worldwide hunt. The Hough change was embraced for choosing sides of the license-plate among different edges in the accompanying corner identification. The corner focuses

found as cross purposes of the neighboring sides were used for expelling the shape twisting. The four-digit numbers were recognized by utilizing a virtual pixel algorithm with centroid pay. The worldwide inquiry accomplished 97 % of right identification rate for 100 arrangements of scenes. The corner discovery accomplished 65 % (39 of 65 scenes) of right recognition rate, up until now. The four-digit numbers on the license-plates, whose corners were accurately distinguished, were recognized consummately.

Another approach proposes a quick vertical edge location algorithm (VEDA) [12] in view of the complexity between the grayscale values, which improves the speed of the CLPD strategy. Subsequent to binarizing the information picture utilizing versatile thresholding (AT), an undesirable line disposal algorithm (ULEA) is proposed to upgrade the picture, and afterward, the VEDA is connected. The second commitment is that our proposed CLPD technique forms low-determination images taken by a web camera. After the vertical edges have been identified by the VEDA, the coveted plate points of interest in view of shading data are highlighted. At that point, the hopeful district in view of measurable and logical operations will be removed. At long last, a LP is identified. The third commitment is that we contrast the VEDA with the Sobel administrator as far as exactness, algorithm multifaceted nature, and processing time. The outcomes indicate precise edge identification performance and quicker processing than Sobel by five to nine circumstances.

3. Solution Approaches to the issue "Estimation Effort using Fuzzy Logic".

In one approach the creator inspected diverse techniques of picture division. Division [25] is only making the piece of picture or any protest. Design acknowledgment and picture investigation are the underlying strides of picture division. In the PC vision area and picture examination we can done vital research subject in the division of video with element foundation. Picture division is the vast majority of judging or investigating capacity in picture processing and examination. Picture division alludes to parcel of a picture into various locales that are homogenous or comparable and in homogenous in a few qualities. Picture division comes about affect picture examination and it taking after higher request errands. Picture examination incorporates protest depiction and representation, highlight estimation. Higher request errand takes after characterization of protest. Thus portrayal, perception of district of enthusiasm for any picture, outline assumes an imperative part in picture division. Utilizing the distinctive algorithms the present systems of picture division is evaluated so that client association is feasible for images. Another approach proposed another picture division algorithms in view of data bottleneck method[26]. They used three algorithms; first they present the split-and-union algorithm, where a picture is fragmented into set of areas (information) and the power histogram containers (yield) is gotten. The second algorithm is the histogram grouping algorithm, where the info variable represents the histogram containers and the yield is given by the arrangement of locales. At long last, the enlistment based division for two enrolled multimodal images. Picture enrollment is the way toward overlaying images (at least two) of a similar scene taken at various circumstances, from various perspectives, or potentially by various sensors. The enrollment geometrically adjusts two images (the reference and detected images) represent a picture by a quad-tree representation, the picture is initially separated into 4 quadrants of equivalent size. At that point, every quadrant will be further sub-isolated on the off chance that it has more than one shading. The procedure proceeds until every quadrant or sub quadrant (conceivably a solitary pixel) contains only one shading.

III. DATA AND RESULTS

This section includes the comparative analysis of the solution approaches based on the variable and parameters used by the researchers in their proposed solution and the results which they have obtained, along with variations in the results.

The issue-wise tables have been included, which describes the solution approach, its reference, input and output variables

used, and the result of the solution approach.

1. Results obtained in the issue "Text Recognition".

S.No.	Solution	Input	Results
	Approach &	/Parameter	
	References	Used	
1	Off-line recognition system for machine printed and handwritten historical documents [1]	Domain: Machine printed or handwritten historical documents Database: 10 printed documents TrainSet1 and another set of 10 handwritten documents	Result are in database (TWDB), Recognition rate is 95.44% achieved. type writer database (TWDB), the text set has 1351 characters and the train set 5407 characters and system recognition rate was 94.62%.
2	Arabic OCR algorithm [2]	Domain: Arabic text recognition Tested on: Atricles from Alrai news paper on 20/11/2011 and 30/11/2012, and Alrai news paper on Oct, 20, 2012	Recognition accuracy was 96.5%

3	Automatic	Domain:	Recognition
	extraction	Numbers for	accuracy is
	Methods of	car number	93%
	container	plates	
	Identity	Expreiments	
	Numbers and	are been	
	registration	applied on 250	
	Plates [8]	images (130	
		containers and	
		120 registed	
		plates of cars).	
		229 have been	
		correctly	
		segmented but	
		26	

2. Results obtained in the issue "Number Plate Extraction".

	S.No.	Solution	Input	Results
		Approach &	/Parameter	
		References	Used	
	1	Feature Based	Domain:	85% for
_		adaptive image	License Plate-	number plate
		segmentation	Recognition of	localization,
		technique [9]	Indian Number	95% for
_			Plates	character
			Database:	segmentation
			The 10 training	and 82% for
			set of number	character
			plates has	recognition.
			taken	
	2	Two-step	Domain:	87% of the
		approach for	License Plate-	plates were
		localization [10]	Recognition of	localized
			Indian Number	correctly
			Plates	-
			Tested on:	
			20 dataset of	
			number plates	
	3	RELIP	Domain:	97 % of
		approach for	Monitoring	correct
		Recognizing	Moving Car	detection rate
		Four-Digit	Movements.	for 100 sets of
		Numbers on A	Dataset: 100	scenes
1		License-Plate	sets of scenes	

3. Results obtained in the issue "Image Segmentation".

J. 1000	3. Results columned in the issue image segmentation .			
S.No.	Solution	Input /Parameter	Results	
	Approach &	Used		
	References			
1	Sequential	Domain : Real	0.88% on	
	probability	Life Image	average	
	ratio test	Segmentation	indicates an	
	(SPRT) and the	Tested on:	irrelevance of	
	minimal cost	20 dataset of	the	
	criterion [27]	number plates	randomness	
			of SPRT	

Strengths

After reviewing 29 research papers, following strengths have been found in various solution approaches:-

- VEDA Experiment results showed accurate edge detection performance and faster processing than Sobel by five to nine times.
- VEDA used Hough transform and horizontal projection profile both of which had efficient and fast hardware implementations, to not only extract the number plate but also simultaneously segment out the characters.
- In OCR software much higher recognition accuracy is obtained by gradually removing the license plate boundaries.
- A very high recognition rate of license plates can be achieved when the character of license plates are properly segmented using the Blob detection algorithm.

Morphology technique was Good for low illumination, Good for multiple backgrounds, Works for almost every weather.

Weakness

After reviewing 29 research papers, following weaknesses have been found in various solution approaches:-

- Edge based techniques was very sensitive to same light intensity and noise.
- Histogram techniques was effective In varied weather.

Color feature based techniques highly dependent on proper localization of license plate.

REFERENCES

- [1] G.Vamvakas, B.Gatos, N. Stamatopoulos, and S.J.Perantonis,"A Complete Optical Character Recognition Methodology for Historical Documents", IEEE, 2008
- [2] Abdelwadood Mesleh1, Ahmed Sharadqh, Jamil Al-Azzeh,"An Optical Character Recognition", Contemporary Engineering Sciences, Vol. 5, 2012, no. 11, 521 - 529
- [3] Nisha Sharma, Tushar Patnaik, Bhupendra Kumar,"Recognition for Handwritten English Letters: A Review",International Journal of Engineering and Innovative Technology (IJEIT), 2013
- [4] Dr. Jangala. Sasi Kiran, N. Vijaya Kumar, N. Sashi Prabha, M. Kavya,"A Literature Survey on Digital Image Processing Techniques in Character Recognition of Indian Languages", Jangala. Sasi Kiran et al, / (IJCSIT) International Journal of Computer Science and Information Technologies, Vol. 6 (3), 2015
- [5] Shalin A. Chopra, Amit A. Ghadge, Onkar A. Padwal, Karan S. Punjabi, Prof. Gandhali S. Gurjar ,"Optical Character Recognition", International Journal of Advanced Research in Computer and Communication Engineering, 2014
- [6] Pratik Madhukar Manwatkar, Dr. Kavita R.

- Singh,"Text Recognition from Images: A Review",International Journal of Advanced Research in Computer Science and Software Engineering,2014
- [7] Er. Neetu Bhatia, "Optical Character Recognition Techniques: A Review", International Journal of Advanced Research in Computer Science and Software Engineering, 2014
- [8] R Mullot, C. Olivier, J.L. Bourdon, P. Courtellemont, J. Labiche, Y. Lecourtier ,Automatic extraction Methods of container Identity Numbers and registration Plates of Cars, IECON ,1991
- [9] C. Nelson Kennady Babu, Siva Subramanian T and Kumar Parasuraman Member,"A Feature Based Approach for License Plate-Recognition of Indian Number Plates", IEEE, 2010
- [10] Prathamesh Kulkarni (Student Member, IEEE), Ashish Khatri, Prateek Banga, Kushal Shah,"A Feature Based Approach for Localization of Indian Number Plates",IEEE,2009
- [11] Kotaro HANEDA, Hiroshi HANAIZUMI,"A Flexible Method for Recognizing Four-Digit Numbers on A License-Plate in A Video Scene",IEEE,2012
- [12] Priyanka Prabhakar,P. Anupama,"A Novel Design For Vehicle License Plate Detection and Recognition",IEEE,2014
- [13] Lihong Zheng ,Xiangjian He,"Accuracy Enhancement for License Plate Recognition",IEEE International Conference on Computer and Information Technology,2010
- [14] Nima Farajian,Morteza Rahimi, "Algorithms for licenseplate detection: A survey",First International Congress on Technology, Communication and Knowledge,2014
- [15] Luis Salgado, Jose' M. Mene'ndex, Enrique Renddn and Narciso Garcia, "AUTOMATIC CAR PLATE DETECTION AND RECOGNITION THROUGH INTELLIGENT VISION ENGINEERING", IEEE, 1999
- [16] F. Aghdasi and H. Ndungo ,"AUTOMATIC LICENCE PLATE RECOGNITION SYSTEM", IEEE, 2004
- [17] Muhammad Tahir Qadri and Muhammad Asif, AUTOMATIC NUMBER PLATE RECOGNITION SYSTEM FOR VEHICLE IDENTIFICATION USING OPTICAL CHARACTER RECOGNITION, International Conference on Education Technology and Computer, 2009
- [18] Ruliang Zhang, Yun Zhang, "Car Number Plate Detection Using Multi-layer Weak Filter", International Conference on Business Intelligence and Financial Engineering, 2009
- [19] Norizam Sulaiman , Sri Nor Hafidah Mohammad Jalani, Mahfuzah Mustafa, Kamarul Hawari, "Development of Automatic Vehicle Plate Detection System", IEEE, 2013
- [20] Seyed Hamidreza Mohades Kasaei , Seyed

- Mohammadreza Mohades Kasaei, "EXTRACTION AND RECOGNITION OF THE VEHICLE LICENSE PLATE FOR PASSING UNDER OUTSIDE ENVIRONMENT", European Intelligence and Security Informatics Conference, 2011
- [21] Chen-Chung Liu, Zhi-Chun Luo, "Extraction of Vehicle License Plate Number Using License Plate Calibration", IET, 2010
- [22] Ayman Rabee and Imad Barhumi , "License Plate Detection and Recognition in Complex Scenes Using Mathematical Morphology and Support Vector Machines", IWSSIP, 2014
- [23] LiangLi, Youngjoon Han,Hernsoo Hahn, "License Plate Detection Method Using Vertical Boundary Pairs and Geometric Relationships",IEEE,2010
- [24] JaeDo Kim, YoungJoon Han, Hernsoo Hahn, "License Plate Detection Using Topology of Characters and Outer Contour", Second International Conference on Future Generation Communication and Networking Symposia, 2008
- [25] H.P. Narkhede,"Review of Image Segmentation Techniques",International Journal of Science and Modern Engineering (IJISME),2013
- [26] S.Dhanalakshmi , Dr.T.Ravichandran ,"A New Method for Image Segmentation",International Journal of Advanced Research in Computer Science and Software Engineering , 2012
- [27] Bo Peng, Lei Zhang and David Zhang,"Automatic Image Segmentation by Dynamic Region Merging", Hong Kong SAR General Research Fund
- [28] JITENDRA MALIK, SERGE BELONGIE, THOMAS LEUNG*AND JIANBO SHI,"Contour and Texture Analysis for Image Segmentation",International Journal of Computer Vision, 2001

First A. Author (M'76–SM'81–F'87) and the other authors may include biographies at the end of regular papers. Biographies are not included in conference-related papers. This author became a Member (M) of IEEE in 1976, a Senior Member (SM) in 1981, and a Fellow (F) in 1987. The first paragraph may contain a place and/or date of birth (list place, then date). Next, the author's educational background is listed. The degrees should be listed with type of degree in what field, which institution, city, state or country, and year. The author's major field of study should be in lowercase.

The second paragraph uses the pronoun of the person (he or she) and not the author's last name. It lists military and work experience, including summer and fellowship jobs. Job titles are capitalized. The current job must have a location; previous positions may be listed without one. Information concerning previous publications may be included. Try not to list more than three books or published articles. The format for listing publishers of a book within the biography is: title of book (city, state: publisher name, year) similar to a reference. Current and previous research interests ends the paragraph.

The third paragraph begins with the author's title and last

name (e.g., Dr. Smith, Prof. Jones, Mr. Kajor, Ms. Hunter). List any memberships in professional societies other than the IEEE. Finally, list any awards and work for IEEE committees and publications. If a photograph is provided, the biography will be indented around it. The photograph is placed at the top left of the biography. The final printed size of an author photograph is 2.54 cm wide by 3.18 cm long. Personal hobbies will be deleted from the biography.